

compose.kerala.gov.in
egazette.kerala.gov.in
printing.kerala.gov.in



Regn.No. KERBIL/2012/45073
dated 2012-09-05 with RNI
Reg No.KL/TV(N)/634/2021-2023

കേരള സർക്കാർ
GOVERNMENT OF KERALA

കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

ചൊവ്വ, 2024 മെയ് 14
Tuesday, 14th May 2024

1199 മേടം 31
31st Medam 1199

1946 വൈശാഖം 24
24th Vaisakha 1946

വാല്യം 13
Vol. XIII

നമ്പർ } 20
No. }

Part III

Animal Husbandry Department

©
കേരള സർക്കാർ
GOVERNMENT OF KERALA
2024



വിജ്ഞാപനം

നമ്പർ AHD/TVM/LMTC/KDKU/105/2023-C.

2024 മേയ് 8.

മൃഗസംരക്ഷണ പരിശീലന കേന്ദ്രം കൂടപ്പനക്കുന്നിൽനിന്നും 102-ാം ബാച്ച് ലൈവ്സ്റ്റോക്ക് ഇൻസ്പെക്ടർ പരിശീലനം വിജയകരമായി പൂർത്തീകരിച്ച 34 പരിശീലനാർത്ഥികളുടെ പേരുവിവരം പ്രസിദ്ധീകരിച്ച് ഉത്തരവാകുന്നു.

ലൈവ് സ്റ്റോക്ക് മാനേജ്മെന്റ് ട്രെയിനിംഗ് സെന്റർ,
കൂടപ്പനക്കുന്ന്, തിരുവനന്തപുരം.

(ഒപ്പ്)
പ്രിൻസിപ്പൽ ട്രെയിനിംഗ് ഓഫീസർ.

Livestock Inspector in-Service Training Batch No. 102

(FROM 16-8-2023 TO 20-4-2024)

<i>Sl. No.</i>	<i>Name</i>	<i>PEN No.</i>	<i>Reg. No.</i>
(1)	(2)	(3)	(4)
1	Adarsh, B.	955668	13486
2	Alisha, T. A.	946919	13487
3	Ancy John	958532	13488
4	Asha Unnikrishnan	946278	13490
5	Athira, K. T.	946350	13491
6	Bivina Babu	946432	13492
7	Gayathri Mohan, S.	955774	13494
8	Haritha B. Raj	958092	13495
9	Jaseem, N. A.	946583	13496
10	Jaseena, V. M.	946721	13497
11	Jeena John	958283	13498
12	Kavya Subramanian	945870	13499
13	Lisma, C. V.	946033	13500
14	Meenu Ashok	958776	13501
15	Merin Eldhose	958585	13502
16	Priya, P. M.	946067	13503
17	Roy Antony	880296	13504
18	Sajin S. Raj	957237	13505
19	Sandeep Sanal P. S.	860804	13506



(1)	(2)	(3)	(4)
20	Sethuraj, K. R.	958295	13507
21	Shija, V. K.	958386	13508
22	Shijin, M. U.	946846	13509
23	Sija, M. J.	946306	13510
24	Sindhu Narayanan	958438	13511
25	Sinumol, K. H.	946210	13512
26	Soorya, K. N.	958485	13513
27	Sreebhagavathy, K.	958379	13514
28	Sreeja, S.	958432	13515
29	Sreeja, N. S.	946642	13516
30	Sruthy, A. S.	945701	13517
31	Sujatha, S.	959121	13518
32	Sujay M. Raj	946433	13519
33	Sunanda S. Dev	956195	13520
34	Tincy Pereira	945556	13521



ദർഘാസ് പരസ്യം

[നമ്പർ 01/2024-25]

നമ്പർ AHD/TVM/IHVB/PALD/224/2024-B.

2024 ഏപ്രിൽ 27.

ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് അനിമൽ ഹെൽത്ത് ആന്റ് വെറ്ററിനറി ബയോളജിക്കൽസിലെ ചുവടെ പട്ടിക പ്രകാരമുള്ള എയർ കണ്ടീഷനിംഗ് ഉപകരണങ്ങളുടെ വാർഷിക അറ്റകുറ്റപ്പണി കരാറിൽ ഏർപ്പെടുത്തുന്ന തിനായി താൽപര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മൂല്യവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

SCHEDULE

<i>Sl. No.</i>	<i>Item and Specification</i>	<i>Make</i>	<i>Model</i>	<i>Serial No.</i>
(1)	(2)	(3)	(4)	(5)
1	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0818
2	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0819
3	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0815
4	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0820
5	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0817
6	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0816
7	Split A C 1.5 ton	Lloyd	LS19A3FF-0	L0110159B17K14887
8	Split A C 1.5 ton	Lloyd	LS19A3FF-0	L0110159B17K14886
9	Split A C 2.0 TR	Lloyd	LS24A2A	20672
10	Split A C 2.0 TR	Lloyd	LS24A2A	20673
11	Split A C 1.5 TR	Voltas	Voltas13	4501453
12	Split A C 1.5 TR	Voltas	Voltas13	4501452
13	Split A C 1.5 Tr	Voltas	Virtis Plus	5642
14	Split A C 1.5 Tr	Voltas	Virtis Plus	5820
15	Split A C 1.5 Tr	Voltas	Virtis Elite	2543
16	Split A C 1.5 Tr	Voltas	Virtis Elite	6513
17	Split A C 1.5 Tr	Voltas	Virtis Plus	5008
18	Split A C 1.5 Tr	Voltas	Virtis Plus	5677
19	Split A C 1.5 Tr	Voltas	Virtis Plus	5982
20	Split A C 1.5 Tr	Voltas	Virtis Plus	4955
21	Split A C 1.5 Tr	Voltas	Virtis Elite	8061
22	Split A C 1.5 TR	Voltas	Virtis Elite	112861
23	Split A C 1.5 Tr	Voltas	Voltas 12	76231
24	Split A C 2 ton	Voltas	Vertis	45110 35U08C5 20068 520555



(1)	(2)	(3)	(4)	(5)
25	Split A C 2 ton	Voltas	Vertis	45111 35U08C5 20068 520555
26	Split A C 1.5 TR	Carrier	Carrier 09	435
27	Split A C 1.5 TR	Carrier	Carrier 09	436
28	Split A C 1.5TR	Carrier	CASS 18SU5C3	50035523569012856
29	Split A C 1.5 TR	Carrier	CASS 18SU5C3	50035523569012850
30	Split A C 1.5 TR	Carrier	CASS 18SU5C3	500355235690128562853
31	Split A C 2 TR	Carrier	C-2TR	2240
32	Split A C 2 TR	Carrier	C-2TR	2241
33	Split A C 2 TR	Carrier	C-2TR	2242
34	Split A C 2 TR	Carrier	C-2TR	782
35	Split A C 1.5 TR	LG	LG 10	32618002
36	Split A C 1.5 TR	LG	LG10	32618003
37	Split A C 1.5TR	L.G	LG 05	LSA18K1R1
38	Split A C 1.5 TR	L.G	LG 05	LSA18K1R3
39	Split A/C 0.7 TR	Godrej	SLV-0.7	1100252
40	Split A/C 2 TR	Godrej	GSB16	130102662
41	Split A C 1.5 TR	Cruize	CRGG	1788
42	Split A C 1.5 TR	Cruize	CRGG	1788
43	Split A C 1.5 TR	Cruize	CRGG	1788
44	Split A C 1.5 TR	Cruize	CRGG	
45	Water Chiller for FD	Meridian cooling	Process Chiller	LT300

ദർഘാസുകൾ ഉള്ളടക്കം ചെയ്തിട്ടുള്ള കവറിനു പുറത്ത് “ദർഘാസ് നമ്പർ 01/2024-25/AHD/TVM/IHVB/PALD/224/2024-B എയർ കണ്ടീഷനിംഗ് ഉപകരണങ്ങളുടെ വാർഷിക അറ്റകുറ്റപ്പണി” എന്ന് രേഖപ്പെടുത്തിയിരിക്കണം. ദർഘാസുകൾ വിൽപ്പന നടത്തുന്ന അവസാന തീയതി 22-5-2024. ദർഘാസുകൾ സ്വീകരിക്കുന്നത് 24-5-2024 ഉച്ചയ്ക്ക് 12 മണി വരെ. ദർഘാസുകൾ “ഡയറക്ടർ, ഐ.എ.എച്ച്. & വി.ബി., പച്ച പി. ഒ., പാലോട്” എന്ന മേൽവിലാസത്തിൽ നൽകേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ലഭിച്ച ദർഘാസുകൾ 24-5-2024 ഉച്ചയ്ക്ക് 3 മണിക്ക് ബന്ധപ്പെട്ട വ്യക്തിയുടെയോ അവരെ പ്രതിനിധീകരിക്കുന്ന ആളുടെയോ സാന്നിധ്യത്തിൽ തുറന്നു പരിശോധിക്കുന്നതായിരിക്കും. 22-5-2024, 3 മണി വരെ ഡയറക്ടർ, ഐ.എ.എച്ച്. & വി.ബി., പച്ച പി. ഒ., പാലോട് എന്ന മേൽവിലാസത്തിൽ നിന്നും ദർഘാസ് ഫോറങ്ങൾ താഴെ പറയുന്ന നിരക്കിൽ ലഭിക്കുന്നതാണ്.

അടങ്കൽ തുക—₹ 2,00,000

നിരതദ്രവ്യം—1%



ദർഘാസ് ഫോറത്തിന്റെ വില:

അസ്സൽ—₹ 400 + ജി.എസ്.ടി. @ 18%.

തപാലിൽ—₹ 500 + ജി.എസ്.ടി. @ 18%.

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 200 + ജി.എസ്.ടി. @ 18%.

ദർഘാസ് ഫോറങ്ങൾ വി.പി.പി. ആയി ലഭിക്കുന്നതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വില രൊക്കം പണമായിട്ടോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ചെക്ക്, ഡ്രാഫ്റ്റ്, സ്റ്റാമ്പ്, പോസ്റ്റൽ ഓർഡറുകൾ തുടങ്ങിയവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. അടച്ചുകഴിഞ്ഞ ദർഘാസ് ഫോറത്തിന്റെ വില ഒരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടില്ല. കൂടുതൽ വിവരങ്ങൾ പ്രവർത്തി ദിവസങ്ങളിൽ ഓഫീസുമായി ബന്ധപ്പെട്ടാൽ അറിയാവുന്നതാണ്.

Details of the Service to be provided

1. Annual maintenance and servicing of 1TR/1.5 TR/2TR vertical and wall/floor mounting type split air conditioner units covering all routine and preventive maintenance, attending to all break downs and rectifying the defects if any (excluding the cost of spares). The cleaning and servicing of IDU and ODU includes 2 Nos., water servicing using chemicals, water pump etc., and 4 Nos. air servicing using cleaning materials and pressure air pump etc. The operating status of the units should be regularly monitored and intimated to the department staff in charge and the air conditioner units should be maintained in proper working conditions through out the period of contract.
2. Filling sufficient quantity of refrigerant (R22, R32, R410 A etc.) for the existing AC units including leak testing, leak arresting including brazing and make the compressor in good working condition for the ACs (without extra charge).
3. AC which currently does not have a remote should be supplied.
4. After reporting the complaint, it should be attended within 24 hours.
5. ACs which currently does not have a voltage stabilizer should be supplied (with extra cost).
6. Any patch work that is noticed in the air conditioning unit should be fixed immediately.
7. All units should be painted once in a year.
8. If the PCB of the unit is damaged at any point before replacing it, if the board is repairable, it should be repaired.
9. Any change in location of the air conditioning units shall be replaced at no additional charge.

പ്രത്യേക കാരണം ഇല്ലാതെ തന്നെ ദർഘാസുകൾ പൂർണ്ണമായോ ഭാഗികമായോ നിരസിക്കുന്നതിനോ സ്വീകരിക്കുന്നതിനോ ഉള്ള അധികാരം ഡയറക്ടർ, ഐ.എ.എച്ച് & വി.ബി.യിൽ നിക്ഷിപ്തമായിരിക്കും.

[No. 01/2024-25]

No. AHD/TVM/IHVB/PALD/224/2024-B.

27th April 2024.

Sealed competitive tenders are invited for Annual Maintenance Contract for air conditioning equipment of Institute of Animal Health & Veterinary Biologicals. List of the equipment detailed below:—



<i>Sl No.</i>	<i>Item and specification</i>	<i>Make</i>	<i>Model</i>	<i>Serial No.</i>
(1)	(2)	(3)	(4)	(5)
1	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0818
2	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0819
3	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0815
4	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0820
5	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0817
6	Split A C 1.5 ton	Lloyd	LS19A3FX2015	0816
7	Split A C 1.5 ton	Lloyd	LS19A3FF-0	L0110159B17K14887
8	Split A C 1.5 ton	Lloyd	LS19A3FF-0	L0110159B17K14886
9	Split A C 2.0 TR	Lloyd	LS24A2A	20672
10	Split A C 2.0 TR	Lloyd	LS24A2A	20673
11	Split A C 1.5 TR	Voltas	Voltas13	4501453
12	Split A C 1.5 TR	Voltas	Voltas13	4501452
13	Split A C 1.5 Tr	Voltas	Virtis Plus	5642
14	Split A C 1.5 Tr	Voltas	Virtis Plus	5820
15	Split A C 1.5 Tr	Voltas	Virtis Elite	2543
16	Split A C 1.5 Tr	Voltas	Virtis Elite	6513
17	Split A C 1.5 Tr	Voltas	Virtis Plus	5008
18	Split A C 1.5 Tr	Voltas	Virtis Plus	5677
19	Split A C 1.5 Tr	Voltas	Virtis Plus	5982
20	Split A C 1.5 Tr	Voltas	Virtis Plus	4955
21	Split A C 1.5 Tr	Voltas	Virtis Elite	8061
22	Split A C 1.5 TR	Voltas	Virtis Elite	112861
23	Split A C 1.5 Tr	Voltas	Voltas 12	76231
24	Split A C 2 ton	Voltas	Vertis	45110 35U08C5 20068 520555
25	Split A C 2 ton	Voltas	Vertis	45111 35U08C5 20068 520555
26	Split A C 1.5 TR	Carrier	Carrier 09	435
27	Split A C 1.5 TR	Carrier	Carrier 09	436
28	Split A C 1.5TR	Carrier	CASS 18SU5C3	50035523569012856
29	Split A C 1.5 TR	Carrier	CASS 18SU5C3	50035523569012850
30	Split A C 1.5 TR	Carrier	CASS 18SU5C3	500355235690128562853
31	Split A C 2 TR	Carrier	C-2TR	2240



(1)	(2)	(3)	(4)	(5)
32	Split A C 2 TR	Carrier	C-2TR	2241
33	Split A C 2 TR	Carrier	C-2TR	2242
34	Split A C 2 TR	Carrier	C-2TR	782
35	Split A C 1.5 TR	LG	LG 10	32618002
36	Split A C 1.5 TR	LG	LG 10	32618003
37	Split A C 1.5TR	L.G	LG 05	LSA18K1R1
38	Split A C 1.5 TR	L.G	LG 05	LSA18K1R3
39	Split A/C 0.7 TR	Godrej	SLV-0.7	1100252
40	Split A/C 2 TR	Godrej	GSB 16	130102662
41	Split A C 1.5 TR	Cruize	CRGG	1788
42	Split A C 1.5 TR	Cruize	CRGG	1788
43	Split A C 1.5 TR	Cruize	CRGG	1788
44	Split A C 1.5 TR	Cruize	CRGG	
45	Water Chiller for FD	Meridian cooling	Process Chiller	LT 300

The tender should be superscribed “Tender No. 01/2024-25 AMC for “air conditioning equipments” and should be addressed to the “Director, Institute of Animal Health and Veterinary Biologicals, Palode, Pacha P. O., Thiruvananthapuram, Kerala, Pin-695 562.” Last date for the receipt of the tender is 24-5-2024 at 12 Noon. Late tenders will not be accepted. The tender will be opened at 3 p.m. on the same day in the presence of the tenderers or their authorised representatives may present at that time of opening of tender.

Estimated cost—₹ 2,00,000

E.M.D.— 1% of the total estimated cost.

Details of the Service to be provided

1. Annual maintenance and servicing of 1TR/1.5 TR/2TR vertical and wall/floor mounting type split air conditioner units covering all routine and preventive maintenance, attending to all break downs and rectifying the defects if any (excluding the cost of spares).The cleaning and servicing of IDU and ODU includes 2 Nos., water servicing using chemicals, water pump etc., and 4 Nos. air servicing using cleaning materials and pressure air pump etc. The operating status of the units should be regularly monitored and intimated to the department staff in charge and the air conditioner units should be maintained in proper working conditions through out the period of contract.
2. Filling sufficient quantity of refrigerant (R22, R32, R410 A etc.) for the existing AC units including leak testing, leak arresting including brazing and make the compressor in good working condition for the ACs (without extra charge).



3. AC which currently does not have a remote should be supplied.
4. After reporting the complaint, it should be attended with in 24 hours.
5. ACs which currently does not have a voltage stabilizer should be supplied (with extra cost).
6. Any patch work that is noticed in the air conditioning unit should be fixed immediately.
7. All units should be painted once in a year.
8. If the PCB of the unit is damaged at any point before replacing it, if the board is repairable, it should be repaired.
9. Any change in location of the airconditioning units shall be replaced at no additional charge.

Intended tenderers may apply to the “Director, Institute of Animal Health & Veterinary, Biologicals, Palode, Pacha P. O., Thiruvananthapuram, Pin-695 562”, for obtaining the prescribed tender form on which the tender should be submitted. Application for the tender form should be accompanied by a cash remittance of ₹ 400 and GST 18% which is the price fixed for a set of tender form and which is not refundable. The tender forms are not transferable. Sale of tender forms will be closed at 3 p.m. on 22-5-2024. Those who wish to get the tender form by post may sent ₹ 500 and GST 18% by M.O. which includes cost of taxes, postal charges etc. Cheques, Postal Stamps, Demand Drafts etc. will not be accepted towards the cost of tender forms. The form will not be sent by V.P.P. Duplicate forms if required will be available at ₹ 200 and GST 18% extra per copy. Further details if any can be sought from this office on all working days during office hours.

Institute of Animal Health & Veterinary
Biologicals Palode, Pacha, P. O., Thiruvananthapuram.

(Sd.)
Director.

